

# blog-list macro

## {blog-list} Macro

### Description

The blog-list macro is used to display a list of blog posts and excerpts....

### Usage

```
{blog-list}
```

### Parameters

The "Ver" column shows which version of Theme Builder the parameter became available in.

Property	Required	Default	Notes	Theme Panels Only	Ver
default	✗	singlespace	Display mode. (singlespace/multispace)		3.2
space	✗	@current	The space (or list of spaces) whose posts should be listed (SPACEKEY/@all/@current/@favourite/@global/@personal/@children) NB: the @all parameter must be used on it's own, other macro parameters may be used in a list.		3.2
label	✗	n/a	A list of team labels that can be used to filter the list of blog posts		3.3.5
author	✗	n/a	A comma separated list of usernames/group names/@self/@creator/@owner		3.3
sort	✗	creation	The order that the posts should be listed in (creation/modified/recent)		3.2
reverse	✗	false	List the blogposts in reverse order		3.2
count	✗	9	The number of posts that should be displayed.		3.2
start	✗	0	Offset from the start for listing the posts.		3.2
dateFormat	✗	defined by confluence settings	Format that dates should be displayed in		3.2
date	✗	false	Show the Date of the blogpost.		3.2
title	✗	true	Show the Title of the blogpost.		3.2
linktitle	✗	true	Link the title to the blogpost		3.2
excerpt	✗	true	Display the excerpt of the blogpost (true/false/full)		3.2
postedby	✗	true	Display the date that the post was created (true/false/date).		3.2
permalink	✗	n/a	Text to use for posted by		3.2
postedByCaption	✗	n/a	Text to use for posted by.		3.2
none	✗	n/a	Text to display when no posts have been found		3.2

### Examples

#### Basic Use

Add the {blog-list} macro to a page or panel where you want to display a list of blog posts

```
{blog-list}
```

## Display blog posts for the whole site (including personal spaces)

*To display blogs for all spaces set the display mode to multispace (so that the space the blog originated in is displayed), and set the spaces parameter to @all*

```
{blog-list:multispace/space=@all}
```

## Display blog posts for just global spaces (whole site, no personal spaces)

*To display blogs for global spaces set the display mode to multispace (so that the space the blog originated in is displayed), and set the spaces parameter to @global*

```
{blog-list:multispace/space=@global}
```

## Display title, excerpt & date

```
{blog-list:count=3/postedby=date/permalink=}
```

## Only display titles

```
{blog-list:count=3/postedby=false/excerpt=false/permalink=}
```

## Just remove the permalink

```
{blog-list:count=3/permalink=}
```

## Show the date the post was made

```
{blog-list:count=3/date=true}
```

## CSS Customisation

The standard output follows this structure

```
<div class="bloglist default">

  <div class="post">
    <div class="date"><span>Jun 01, 2009 23:30</span></div>
    <div class="permalink"><a href="$bloglisthelper.getTinyURL($post)">Permalink</a></div>
    <div class="title">
      <a href="http://www.mysite.com/x/Goy9Ag">This is the blogpost title</a>
    </div>
    <div class="excerpt"><span>The excerpt of the blogpost will be shown here</span></div>
    <div class="postedby">Posted by Test User on Jun 01, 2009 23:30 </div>
    <div class="commentcount">Comments (5)</div>
  </div>

</div>
```

## Hints and Tips

When excerpts are enabled, the macro will output a block of content taken from the top of your blog posts. If you need more control over the excerpts, consider using the [excerpt macro](#).

## Frequently Asked Questions

None at present.