

blog-list macro

{blog-list} Macro

Description

The blog-list macro is used to display a list of blog posts and excerpts....

Usage

```
{blog-list}
```

Parameters

The "Ver" column shows which version of Theme Builder the parameter became available in.

Property	Required	Default	Notes	Theme Panels Only	Ver
default	✗	singlespace	Display mode. (singlespace/multispace)		3.2
space	✗	@current	The space (or list of spaces) whose posts should be listed (SPACEKEY/@all/@current/@favourite/@global/@personal/@children) NB: the @all parameter must be used on it's own, other macro parameters may be used in a list.		3.2
label	✗	n/a	A list of team labels that can be used to filter the list of blog posts		3.3.5
author	✗	n/a	A comma separated list of usernames/group names/@self/@creator/@owner		3.3
sort	✗	creation	The order that the posts should be listed in (creation/modified/recent)		3.2
reverse	✗	false	List the blogposts in reverse order		3.2
count	✗	9	The number of posts that should be displayed.		3.2
start	✗	0	Offset from the start for listing the posts.		3.2
dateFormat	✗	defined by confluence settings	Format that dates should be displayed in		3.2
date	✗	false	Show the Date of the blogpost.		3.2
title	✗	true	Show the Title of the blogpost.		3.2
linktitle	✗	true	Link the title to the blogpost		3.2
excerpt	✗	true	Display the excerpt of the blogpost (true/false/full)		3.2
postedby	✗	true	Display the date that the post was created (true/false/date).		3.2
permalink	✗	n/a	Text to use for posted by		3.2
postedByCaption	✗	n/a	Text to use for posted by.		3.2
none	✗	n/a	Text to display when no posts have been found		3.2

Examples

Basic Use

Add the {blog-list} macro to a page or panel where you want to display a list of blog posts

```
{blog-list}
```

Display blog posts for the whole site (including personal spaces)

To display blogs for all spaces set the display mode to multispace (so that the space the blog originated in is displayed), and set the spaces parameter to @all

```
{blog-list:multispace/space=@all}
```

Display blog posts for just global spaces (whole site, no personal spaces)

To display blogs for global spaces set the display mode to multispace (so that the space the blog originated in is displayed), and set the spaces parameter to @global

```
{blog-list:multispace/space=@global}
```

Display title, excerpt & date

```
{blog-list:count=3/postedby=date/permalink=}
```

Only display titles

```
{blog-list:count=3/postedby=false/excerpt=false/permalink=}
```

Just remove the permalink

```
{blog-list:count=3/permalink=}
```

Show the date the post was made

```
{blog-list:count=3/date=true}
```

CSS Customisation

The standard output follows this structure

```
<div class="bloglist default">

  <div class="post">
    <div class="date"><span>Jun 01, 2009 23:30</span></div>
    <div class="permalink"><a href="$bloglisthelper.getTinyURL($post)">Permalink</a></div>
    <div class="title">
      <a href="http://www.mysite.com/x/Goy9Ag">This is the blogpost title</a>
    </div>
    <div class="excerpt"><span>The excerpt of the blogpost will be shown here</span></div>
    <div class="postedby">Posted by Test User on Jun 01, 2009 23:30 </div>
    <div class="commentcount">Comments (5)</div>
  </div>

</div>
```

Hints and Tips

When excerpts are enabled, the macro will output a block of content taken from the top of your blog posts. If you need more control over the excerpts, consider using the [excerpt macro](#).

Frequently Asked Questions

None at present.