

Utility Macros

These macros are utility macros which can be used anywhere

- [sorted-children macro](#) — used for displaying lists of child pages
- [blog-archive macro](#) — used to display a nested list of blog posts and optionally excerpts.
- [blog-calendar macro](#) — used to display a calendar view of available blogposts.
- [blog-list macro](#) — used to display a list of blog posts and excerpts.
- [blog-rss-feed macro](#) — used to generate an rss feed link included in the header of the builder theme.
- [blog-rss macro](#) — used to display a list of blog posts in rss format.
- [builder-hide macro](#) — used to hide content in specific contexts, modes and other filters
- [builder-logo macro](#) — displays the logo applicable to the location being viewed
- [builder-show macro](#) — used to show content in specific contexts, modes and other filters
- [builder-spacetitle macro](#) — returns either the name of the currently displayed space or the site title
- [create-child macro](#) — used for automatically creating child pages.
- [import macro](#) — imports the contents of another page into the current page
- [list-* macros](#) — render a bullet-point list of content matching the given search criteria
- [list-spaces macro](#) — allows you to generate an unordered list of spaces
- [move-to macro](#) — used to move a chunk of content from one place on the screen to another.
- [page-state-interface macro](#)
- [pagetree2 macro](#)
- [set-flag macro](#) — This macro defines a flag and sets its state to either true or false.
- [use-layout macro](#) — This macro allows you to automatically change the layout used for a specific page, optionally latching that layout for the rest of the user's session.
- [with-* macros](#) — render a block of wiki markup in the context of another page